



Karuah East Quarry

Monthly Environmental Monitoring Report

May 2018

Table of Contents

1. INTRODUCTION	1
2. DUST MONITORING.....	1
2.1 Dust Deposition Results	2
2.2 High Volume Air Sampling Results	3
2.3 Dust Monitoring Results Summary.....	5
3. BLAST MONITORING RESULTS	5
4. NOISE MONITORING	5
4.1 Operator Attended Monitoring Results	6
4.2 Unattended Continuous Monitoring Results	7
4.3 Noise Monitoring Summary.....	7
5. SURFACE WATER MONITORING	8
5.1 Discharge Monitoring Results.....	8
5.2 Monthly Monitoring Results.....	8
5.3 Surface Water Results Summary	10
6. GROUNDWATER MONITORING	10
6.1 Groundwater Levels	10

TABLES

Table 1	Licence Information	1
Table 2	PA 09_0175 Long term impact assessment criteria for particulate matter	1
Table 3	PA 09_0175 Short term impact assessment criteria for particulate matter	1
Table 4	PA 09_0175 Long term impact assessment criteria for Deposited Dust	1
Table 5	Air Quality Monitoring Locations for Karuah East Quarry	2
Table 6	Insoluble Solids (g/m ² /month) for the Year to Date	2
Table 7	High Volume Air Sampling (µg/m ³) results	3
Table 8	Blasting criteria	5
Table 9	Blast Monitoring Results	5
Table 10	Operational Noise Criteria (dB(A) LA _{eq(15min)})	5
Table 11	Noise Monitoring Program	6
Table 12	Operator Attended Noise Survey Results	7
Table 13	Unattended Continuous Noise Monitoring Results	7
Table 14	Surface Water Discharge Monitoring Criteria.....	8
Table 15	Surface Water Discharge Monitoring Results – Dam 1.....	8
Table 16	Surface Water Discharge Monitoring Results – Dam 2.....	8
Table 17	Surface Water Monthly Monitoring Results – Sediment Dams.....	9
Table 18	Surface Water Monthly Monitoring Results – Drain lines	9
Table 19	Groundwater Monitoring Program.....	10
Table 20	Groundwater Levels.....	10

1. INTRODUCTION

This report has been completed to meet the requirements of Section 66(6) of the *Protection of the Environment Operations Act 1997* and the NSW Environmental Protection Authority's (EPA) Requirements for Publishing Pollution Monitoring Data (October 2013). This report summarises the required monitoring data under Environmental Protection Licence (EPL) 20611 for the Karuah East Quarry. This report also includes some monitoring requirements under Project Approval 09_0175 and the approved Statement of Commitments (SoC).

A summary of the environmental data for May 2018 is covered in this report.

A summary of the licence information is provided in **Table 1** below.

Table 1 Licence Information

Environmental Protection Licence Number	20611
Licensee's Name	Karuah East Quarry Pty Ltd
Licensee's Address	Postal Address: PO Box 3284 Thornton NSW 2322 Quarry Location: Lot 13 DP1024564 Pacific Highway Karuah NSW 2324
Link to full Licence on the EPA Website	EPL 20611

2. DUST MONITORING

There are no specific dust criteria listed in the EPL, but the dust criteria (Tables 2-4) are listed in Schedule 3 Condition 13 of Project Approval 09_0175.

Table 2 PA 09_0175 Long term impact assessment criteria for particulate matter

Pollutant	Averaging period	⁴Criterion
Total suspended particulates (TSP)	Annual	¹ 90 µg/m ³
Particulate matter < 10 µm (PM10)	Annual	¹ 30 µg/m ³

Table 3 PA 09_0175 Short term impact assessment criteria for particulate matter

Pollutant	Averaging period	⁴Criterion
Particulate matter < 10 µm (PM10)	Daily	¹ 50 µg/m ³

Table 4 PA 09_0175 Long term impact assessment criteria for Deposited Dust

Pollutant	Averaging period	Maximum increase in deposited dust level	Maximum total deposited dust level
³ Deposited dust	Annual	² 2 g/m ² /month	¹ 4 g/m ² /month

Notes to Tables 2-4:

¹ Total impact (ie incremental increase in concentrations due to the project plus background concentrations due to all other sources).

² Incremental impact (ie incremental increase in concentrations due to the project on its own).

³ **Deposited dust** is to be assessed as insoluble solids as defined by Standards Australia, AS/NZS 3580.10.1:2003: Methods for Sampling and Analysis of Ambient Air – Determination of Particulate Matter – Deposited Matter – Gravimetric Method.

⁴ Excludes extraordinary events such as bushfires, prescribed burning, dust storms, sea fog, fire, incidents, illegal activities or any other activity agreed by the Secretary in consultation with EPA.

All dust monitoring is undertaken in accordance with the *Approved Methods of Sampling and Analysis of Air Pollutants in NSW* (EPA, 2007).

Dust deposition and TSP/PM₁₀ monitoring is undertaken at Karuah East Quarry at the locations listed in **Table 5**.

Table 5 Air Quality Monitoring Locations for Karuah East Quarry

Site ID	EPL ID	Location	Address	GPS Coordinates
DDG 1	MP 4	South-East of Karuah East Quarry	5760 Pacific Hwy, Karuah NSW 2324	32°38'04"S 151°59'58"E
DDG 2	MP 5	South-East of Karuah East Quarry	5770 Pacific Hwy, Karuah NSW 2324	32°38'02"S 152°00'09"E
DDG 3	MP 6	East of Karuah East Quarry	DP 1024341, Karuah	32°37'57"S 151°59'41"E
DDG 4	MP 7	West of Karuah East Quarry	21 Halloran Rd, North Arm Cove NSW 2324	32° 37' 30.87"S 152°01'10.18"E
DDG 5	MP 8	West of Karuah East Quarry	Lot 21/DP 1024341 Karuah NSW 2324	32° 37' 55.33"S 152°00'2.74"E
HVAS (TSP/PM ₁₀)	MP 9	South-East of Karuah East Quarry	5770 Pacific Hwy, Karuah NSW 2324	32°38'03"S 152°00'09"E

2.1 Dust Deposition Results

Dust deposition results for May 2018 and the year to date are shown in **Table 6**.

Table 6 Insoluble Solids (g/m²/month) for the Year to Date

Date	DDG 1	DDG 2	DDG 3	DDG 4	DDG 5
4/04/2016 to 6/05/2016	1.5	1.1	0.4	3.2	-
6/05/2016 to 3/06/2016	1.0	0.9	0.7	0.4	-
3/06/2016 to 4/07/2016	0.4	1.6	0.5	0.3	-
4/07/2016 to 1/08/2016	1.4	0.7	0.3	0.5	-
1/08/2016 to 31/08/2016	2.7	3.0	0.8	0.7	-
31/08/2016 to 28/09/2016	2.1	1.6	0.8	0.8	0.9
28/09/2016 to 26/10/2016	0.8	0.6	0.8	0.5	0.7
26/10/2016 to 23/11/2016	0.7	1.0	1.3	2.3	1.9
23/11/2016 to 21/12/2016	1.3	0.5	0.9	1.0	4.2
21/12/2016 to 18/01/2017	0.4	0.8	0.7	2.5	3.1
18/01/2017 to 16/02/2017	1.3	0.9	1.2	1.2	1.9
16/02/2017 to 20/03/2017	0.4	1.4	0.5	3.8	1.3

Date	DDG 1	DDG 2	DDG 3	DDG 4	DDG 5
20/03/2017 to 21/04/2017	0.6	0.7	0.5	0.8	1.3
21/04/2017 to 23/05/2017	0.6	0.6	1.1	0.8	0.8
23/05/2017 to 20/06/2017	0.5	1.3	0.9	1.6	0.5
20/06/2017 to 18/07/2017	0.4	0.2	0.5	1.2	0.4
18/07/2017 to 17/08/2017	0.6	0.5	0.6	0.5	0.8
17/08/2017 to 14/09/2017	1.4	0.2	1.4	1.5	0.7
14/09/2017 to 12/10/2017	1.1	0.1	1.2	1.8	1.5
12/10/2017 to 09/11/2017	1.7	0.5	0.9	1.0	1.2
9/11/2017 to 07/12/2017	1.0	1.8	0.7	1.8	2.1
07/12/2017 to 08/01/2018	1.3	0.6	1.1	1.7	1.3
08/01/2018 to 05/02/2018	1.5	0.8	1.3	1.0	0.7
05/02/2018 to 05/03/2018	1.6	1.0	1.5	1.5	2.0
05/03/2018 to 03/04/2018	0.6	0.6	1.1	2.6	0.9
03/04/2018 to 01/05/2018	0.8	1.0	1.0	1.7	0.7
01/05/2018 to 30/05/2018	0.9	0.5	0.7	1.1	0.3
¹ Rolling Annual Average	1.2	0.7	1.1	1.6	1.1

Note ¹: Rolling Annual Average from the EPL 20611 anniversary date of 26 August.

2.2 High Volume Air Sampling Results


The TSP and PM10 results for April 2018 are shown in **Table 7** with the long term monitoring results displayed in **Figure 1**.

Table 7 High Volume Air Sampling ($\mu\text{g}/\text{m}^3$) results

Date	HVAS TSP ($\mu\text{g}/\text{m}^3$)	HVAS PM10 ($\mu\text{g}/\text{m}^3$)
1/05/2018	19	15
7/05/2018	46	16
13/05/2018	16	8
19/05/2018	16	10
25/05/2018	18	12
¹ 24hr Max Criteria	N/A	50
Report Average	23.0	12.2
² Rolling Annual Average	28.2	15.6
¹ Annual Average Criteria	90	30

Note: 1. Maximum criteria as specified in PA 09_0175
2. Rolling Annual Average from the EPL 20611 anniversary date of 26 August.

Figure 1 High Volume Air Sampling – Long term results



2.3 Dust Monitoring Results Summary

All dust monitoring results to the end of May 2018 indicate that the Dust Deposition (Insoluble Solids), TSP and PM10 levels recorded were below the project criterion.

3. BLAST MONITORING RESULTS

The conditions stipulated for blasting is referred to in Condition L5 and M7 of EPL 20611 and Schedule 3, Condition 8 of PA 09_0175. Blast monitoring is undertaken at every blast. **Table 8** summarises the blast monitoring criteria.

Table 8 Blasting criteria

Location	Airblast overpressure (dB(Lin Peak))	Ground vibration (mm/s)	Allowable exceedance
Any residence on privately-owned land, or any public infrastructure	120	10	0%
	115	5	5% of the total number of blasts over a period of 12 months

Summary of blasting results are shown in **Table 9**.

Table 9 Blast Monitoring Results

Date and time	Overpressure and vibration	Location B (Nearest Residence)
10/05/2018 12:30 PM	Overpressure dB(L)	<i>Below detection limits</i>
	Vibration (mm/s)	<i>Below detection limits</i>

As shown in Table 9, one blast was undertaken during May 2018. Monitoring results indicate this blast was below the EPL limits for overpressure and vibration at Location B. This blast was below the set minimum trigger levels. The set minimum trigger levels for this blast were 0.37 mm/s for vibration and 108 dB(L) for overpressure.

4. NOISE MONITORING

Schedule 3 Condition 3 of the Project Approval and Condition L4.1 of the EPL requires Karuah East Quarry to ensure noise generated by Quarry operations does not exceed criteria outlined in **Table 10**.

Table 10 Operational Noise Criteria (dB(A) LA_{eq(15min)})

Location	Criteria (¹ day)
Residence on Lot 11 DP 10244564	43
A	40
B	37
G	38
All other residence	35

Note ¹: A day is defined as the period from 7am to 6pm Monday to Saturday and 8am to 6pm Sunday and Public Holidays.

The noise criteria shown in **Table 10** is not indicative of the construction noise criteria for the Karuah East Quarry project. Construction noise criteria has been developed based on the *NSW EPA Interim Construction Noise Guideline* for each location and is set out in Table 9 of the approved [Noise Management Plan \(SLR, 2015\)](#).

In accordance with Schedule 3 Condition 5 and Condition 7 of the Project Approval and the [Noise Management Plan \(SLR, 2015\)](#) a noise monitoring program has been implemented. Summary of this monitoring program is outlined in **Table 11**.

Table 11 Noise Monitoring Program

Construction Noise Monitoring			
Monitoring Method	¹ Location	Frequency	² Criteria (dB(A) LA _{eq(15min)})
Attended noise monitoring	F	At the commencement of new activities and a min of once per quarter.	54
Attended noise monitoring	G	At the commencement of new activities and a min of once per quarter.	44
Operational Noise Monitoring			
Monitoring Method	¹ Location	Frequency	² Criteria
Attended noise monitoring	F, G	Quarterly	As per Table 10, 12 and 13 Noise MP (SLR, 2015)
Unattended noise monitoring	G	Quarterly	As per Table 10, 12 and 13 Noise MP (SLR, 2015)

Note:

1. Monitoring locations are shown in Appendix 1.
2. Criteria is for daytime limits. Daytime is defined as the period from 7am to 6pm Monday to Saturday and 8am to 6pm Sunday and Public Holidays.

4.1 Operator Attended Monitoring Results

The results of the operator attended noise surveys are presented in **Table 12**. Ambient noise levels given in the tables include all noise sources such as traffic, insects, birds, adjacent quarry and Karuah East Quarry. The table provides the following information:

- Monitoring location and serial number of the noise logger;
- Date, start time, Wind velocity (m/s) and Temperature (°C) at the measurement location; and
- Typical maximum (LA_{max}) and contributed noise levels.

Quarry contributions listed in the tables are from Karuah East Quarry and are stated only when a contribution could be quantified.

Table 12 Operator Attended Noise Survey Results

Location	Date/Start Time/ Weather	Primary Noise Descriptor (dBA re 20 µPa)					Description of Noise Emissions and Typical Maximum Noise Levels (dBA)
		L _{Amax}	L _{A1}	L _{A10}	L _{A90}	L _{Aeq}	
F Lot 50 DP 1036893	17/5/2018 12:28 W = 1.5m/s SSE Temp = 19°C	78	62	52	45	53	Local Traffic 62 – 78 Pacific Highway 44 – 46 Birdsong 40 – 53
		Karuah East Quarry inaudible					Karuah East Project Inaudible
G Lot 3 DP 1032636	17/5/2018 10:46 W = 1.5m/s SSE Temp = 19°C	55	52	50	44	47	Pacific Highway 40 – 50 Birds 40 – 41 Frogs 39 - 40
		Estimated L _{Aeq} (15 minute) noise contribution 46 dBA					Karuah East Project Audible Jaw Crusher 48 – 54 General processing plant 44 – 47 Estimated L_{Aeq}(15minute) Contribution 46 dBA

4.2 Unattended Continuous Monitoring Results

Table 13 Unattended Continuous Noise Monitoring Results

INP Period	Units	L _{A1}	L _{A10}	L _{A90}	L _{Aeq}
Location G					
Daytime ¹	dBA	54	49	40	53
Evening ²	dBA	49	46	38	45
Night ³	dBA	48	45	35	44

4.3 Noise Monitoring Summary

The attended noise monitoring that was conducted on the 17 May 2018 shows that the Karuah East Quarry was not audible at location F but was audible at location G. The Karuah East project estimated noise contribution at location G was found to be above the limits of 38 dBA (L_{Aeq} 15 minute) as per the Project Approval and the Environmental Protection Licence for the Karuah East Quarry.

However, the results for the unattended noise monitoring indicate that background noise levels contributed largely to overall noise levels at Location G. Noise levels during the non-operational hours were around 45dBA (L_{Aeq}).

5. SURFACE WATER MONITORING

Condition M2 of the EPL outlines the requirement to monitor surface water discharges from Karuah East Quarry via the three licensed discharge points (LDP001, LDP002, LDP003). The *Statement of Commitments* (Appendix 6, PA 09_0175) requires additional surface water monitoring to be undertaken for the first twelve months of operations. This additional water monitoring requires monthly sampling to be undertaken at the three licensed discharge points and at four locations on Yalimbah and Bulga Creeks when in flow.

All discharged water from the three licensed discharge points are required to meet the water quality concentration limits as stipulated in Condition L2.4 of the EPL. This criterion is shown in Table 13 below.

Table 14 Surface Water Discharge Monitoring Criteria

Sampling Points	Pollutant	Unit	EPL Limit
LDP001 (Dam 1)	pH	pH units	6.5 – 8.5
LDP002 (Dam 2)	TSS	mg/L	40
LDP003 (Dam 3)	Oil & Grease	mg/L	5 and/or none visible

5.1 Discharge Monitoring Results

A controlled discharge was carried out on the 7, 8 and 16 May 2018 at Dam 2 (LDP2). An uncontrolled discharge event occurred on the 14 and 15 May 2018 from Dam 1 (LDP1) due to heavy rain.

Discharge monitoring results shown in **Table 15** and **Table 16** below.

Table 15 Surface Water Discharge Monitoring Results – Dam 1

Date	LDP001 (Dam 1)			SW2 (Bulga Creek)		
	pH (Lab)	TSS	Oil & Grease	pH (Lab)	TSS	Oil & Grease
EPL Criterion	6.5-8.5	40	5	-	-	-
14/05/2018	6.37	38	<5	6.26	22	<5
15/05/2018	6.50	48	<5	5.80	11	<5
Average	6.44	43	<5	6.03	17	<5

Units: pH in pH units, Total Suspended Solids (TSS) in mg/L, Oil & Grease in mg/L, Electrical Conductivity (EC) in µS/cm

Table 16 Surface Water Discharge Monitoring Results – Dam 2

Date	LDP001 (Dam 1)			SW3 (Yalimbah Creek)		
	pH (Lab)	TSS	Oil & Grease	pH (Lab)	TSS	Oil & Grease
EPL Criterion	6.5-8.5	40	5	-	-	-
07/05/2018	6.50	17	<5	-	-	-
08/05/2018	6.10	25	<5	5.80	19	<5
16/05/2018	5.90	4	5	-	-	-
Average	6.20	15	<5	5.80	19	<5

Units: pH in pH units, Total Suspended Solids (TSS) in mg/L, Oil & Grease in mg/L, Electrical Conductivity (EC) in µS/cm

5.2 Monthly Monitoring Results

Monthly water sampling was undertaken on the 18 May 2018.

Summary of monthly monitoring results is shown in **Table 15** and **Table 16**.

Table 17 Surface Water Monthly Monitoring Results – Sediment Dams

Date	LDP001 (Dam 1)				LDP002 (Dam 2)				LDP003 (Dam 3)			
	pH (Lab)	TSS	Oil & Grease	EC	pH (Lab)	TSS	Oil & Grease	EC	pH (Lab)	TSS	Oil & Grease	EC
19/01/2016	-	-	-	-	-	-	-	-	-	-	-	-
25/07/2016	6.60	<5	<5	107	-	-	-	-	-	-	-	-
30/08/2016	6.07	<5	<5	74	-	-	-	-	-	-	-	-
19/10/2016	5.57	96	<5	317	-	-	-	-	-	-	-	-
29/11/2016	5.89	63	<5	305	5.39	72	<5	520	5.22	<5	34	260
19/12/2016	4.97	570	<5	335	4.75	119	<5	559	4.75	58	<5	284
22/02/2017	5.90	145	8	349	-	-	-	-	5.28	8	<5	323
01/03/2017	5.28	40	<5	533	-	-	-	-	5.32	883	<5	216
21/03/2017	5.97	383	18	612	-	-	-	-	4.78	890	16	286
21/04/2017	6.48	21	<5	586	-	-	-	-	7.09	54	8	431
19/05/2017	6.81	11	<5	907	-	-	-	-	6.97	169	14	500
16/06/2017	5.94	220	22	457	-	-	-	-	5.95	1180	25	482
14/07/2017	6.50	82	<5	462	-	-	-	-	6.51	228	<5	452
18/08/2017	6.81	47	8	515	-	-	-	-	6.73	190	12	487
22/09/2017	6.98	18	10	492	6.61	26	8	444	6.80	122	10	520
23/10/2017	6.78	90	<5	438	6.73	336	15	382	6.63	164	10	475
21/11/2017	6.92	71	39	511	6.10	18	<5	490	7.28	15	31	694
15/12/2017	6.55	5	<5	580	5.55	7	<5	455	7.10	28	6	838
19/01/2018	7.29	9	<5	665	7.29	37	<5	434	7.08	10	6	925
16/02/2018	7.71	9	<5	662	6.48	22	<5	548	7.21	16	<5	1075
20/03/2018	6.95	19	<5	574	6.81	6	<5	535	7.37	27	<5	788
18/04/2018	6.40	5	<5	529	7.70	17	<5	490	7.10	17	<5	830
18/05/2018	5.86	12	<5	555	5.80	4	<5	345	6.48	21	<5	654

Units: pH in pH units, Total Suspended Solids (TSS) in mg/L, Oil & Grease in mg/L, Electrical Conductivity (EC) in $\mu\text{S}/\text{cm}$

Table 18 Surface Water Monthly Monitoring Results – Drain lines

Date	SW1 (Bulga Creek)				SW2 (Bulga Creek)				SW4 (Yalimbah Creek)			
	pH (Lab)	TSS	Oil & Grease	EC	pH (Lab)	TSS	Oil & Grease	EC	pH (Lab)	TSS	Oil & Grease	EC
19/01/2016	5.60	<5	9	204	4.66	<5	<5	173	5.70	13	<5	201
25/07/2016	-	-	-	-	5.97	7	<5	158	-	-	-	-
30/08/2016	-	-	-	-	5.70	<5	<5	207	-	-	-	-
19/10/2016	-	-	-	-	5.84	7	<5	172	-	-	-	-
29/11/2016	-	-	-	-	-	-	-	-	-	-	-	-
19/12/2016	-	-	-	-	-	-	-	-	-	-	-	-
21/03/2017	4.90	<5	<5	313	4.76	12	<5	309	-	-	-	-
31/03/2017	-	-	-	-	5.70	86	34	319	5.79	9	97	263
21/04/2017	-	-	-	-	5.76	12	<5	369	-	-	-	-
19/05/2017	-	-	-	-	5.89	7	<5	414	-	-	-	-
16/06/2017	5.47	6	<5	329	5.54	65	8	313	5.29	6	24	259
14/07/2017	-	-	-	-	5.81	47	<5	348	-	-	-	-
18/08/2017	-	-	-	-	6.04	22	<5	385	-	-	-	-
22/09/2017	-	-	-	-	6.34	10	<5	406	-	-	-	-
23/10/2017	-	-	-	-	6.42	29	6	323	-	-	-	-
21/11/2017	-	-	-	-	6.01	33	17	466	-	-	-	-
15/12/2017	-	-	-	-	6.10	23	<5	520	-	-	-	-

Date	SW1 (Bulga Creek)				SW2 (Bulga Creek)				SW4 (Yalimbah Creek)			
	pH (Lab)	TSS	Oil & Grease	EC	pH (Lab)	TSS	Oil & Grease	EC	pH (Lab)	TSS	Oil & Grease	EC
19/01/2018	-	-	-	-	-	-	-	-	-	-	-	-
16/02/2018	-	-	-	-	-	-	-	-	-	-	-	-
20/03/2018	-	-	-	-	-	-	-	-	-	-	-	-
18/04/2018	-	-	-	-	6.60	9	<5	550	-	-	-	-
18/05/2018	-	-	-	-	5.75	5	<5	536	-	-	-	-

Units: pH in pH units, Total Suspended Solids (TSS) in mg/L, Oil & Grease in mg/L, Electrical Conductivity (EC) in µS/cm

5.3 Surface Water Results Summary

Dams 1 and 2 discharged during May 2018. Two (2) controlled discharges occurred at Dam 2, whilst Dam 1 had a single uncontrolled discharge over two days due to a rain event. The discharge monitoring showed that the pH was slightly below the EPL criterion on 14 May for Dam 1 and 8 May and 16 May for Dam 2. However, the pH level was not lower than the pH in the receiving creeks.

The Total Suspended Solids during the uncontrolled discharge event from Dam 1 exceeded the EPL criterion on 15 May 2018 by 8mg/L. However, the water sampled downstream from Dam 1 at monitoring location SW2 showed the Total Suspended Solids did not exceed 22mg/L during this discharge event.

6. GROUNDWATER MONITORING

Groundwater monitoring is undertaken to meet the *EA Statement of Commitments* (Appendix 6, PA 09_0175) and Section 8.2 [Water Management Plan \(SLR, 2015\)](#). Groundwater levels are monitored quarterly and water quality biannually at four groundwater monitoring bores (piezometers). Details of this monitoring program is shown in **Table 18**. Refer to Appendix 1 for piezometer locations.

Table 19 Groundwater Monitoring Program

Piezometer	Location	Water Level	Water Quality
		monitoring frequency	monitoring frequency
¹ BH205	Lot 13/DP1024564	Quarterly	Biannually
² BH207	Lot 13/DP1024564	Quarterly	Biannually
BH208	Lot 21/DP1024341	Quarterly	Biannually
BH303	Lot 21/DP1024341	Quarterly	Biannually

Note: 1. Piezometer BH205 was relocated approximately 30m to the west on 13 March 2017
2. Piezometer BH207 was relocated approximately 60m to the north on 26 September 2016.

6.1 Groundwater Levels

Table 20 Groundwater Levels

Date	Unit	² BH205	³ BH207	BH208	BH303
30/03/2016	¹ metres	22.83	12.38	19.54	29.93
04/10/2016	¹ metres	24.00	9.61	19.77	30.45
04/04/2017	¹ metres	25.30	9.39	19.99	30.66
05/10/2017	¹ metres	22.87	8.88	19.90	30.60

17/01/2018	¹ metres	21.98	9.12	20.27	30.67
18/04/2018	¹ metres	21.69	9.20	20.47	30.80

- Note:**
1. Groundwater levels are measured in metres below ground level.
 2. Piezometer BH205 was relocated approximately 30m to the west on 13 March 2017.
 3. Piezometer BH207 was relocated approximately 60m to the north on 26 September 2016.

APPENDIX 1


Monitoring Locations

Karuah East Quarry

Monitoring Locations

Legend

- Attended Noise
- Dust Deposition
- Groundwater
- High Volume Air Sampler
- Surface Water
- Unattended Noise



Google earth

Image © 2018 DigitalGlobe